



Part Number	Housing	Shaft Dia	B	C	H	M	Q	A	J	DMIN	DMAX	E	T	WT (LB)	Dynamic Load Rating (LB)
608000PC	SAFD 511	1 15/16	9 5/8	2 3/4	15/16	2 3/4	1 1/16	3 3/4	5 1/4	7 3/8	7 7/8	2-bolt	6 5/16	15	27,000
608007PC	SAFD 515	2 7/16	11 1/4	3 1/8	1 1/8	3 1/4	1 5/16	4 5/8	6 3/8	8 5/8	9 5/8	1 7/8	7 5/16	24	41,000
608014PC	SAFD 517	2 15/16	13	3 1/2	1 1/4	3 3/4	1 9/16	4 13/16	7 5/16	9 7/8	11	2 1/8	7 3/8	35	55,100
608021PC	SAFD 520	3 7/16	15 1/4	4 3/8	1 3/4	4 1/2	1 7/8	5 13/16	8 3/4	11 5/8	13 1/8	2 3/8	8 3/4	74	80,000
608028PC	SAFD 522	3 15/16	16 1/2	4 3/4	2	4 15/16	2 1/16	6 7/16	9 5/8	12 5/8	14 1/2	2 3/4	9 1/8	97	102,000
608033PC	SAFD 526	4 7/16	18 3/8	5 1/8	2 3/8	6	2 3/8	7 3/4	11 1/2	14 5/8	16	3 1/4	10 7/16	161	142,000
608038PC	SAFD 528	4 15/16	20 1/8	5 7/8	2 3/8	6	2 1/2	7 3/8	11 3/4	16	17 1/8	3 3/8	10 1/16	174	160,000
608043PC	SAFD 532	5 7/16	22	6 1/4	2 5/8	6 11/16	2 7/8	8 1/2	13 5/16	17 3/8	19 1/4	3 3/4	11 3/16	246	216,000
608048PC	SAFD 534	5 15/16	24 3/4	6 3/4	2 3/4	7 1/16	3 1/16	9 1/4	14 3/16	19 3/8	21 5/8	4 1/4	11 15/16	310	250,000
608053PC	SAFD 536	6 7/16	26 3/4	7 1/8	3	7 1/2	3 1/8	9 5/8	14 7/8	20 7/8	23 5/8	4 5/8	12 5/16	345	255,000
608058PC	SAFD 538	6 15/16	28	7 1/2	3 1/8	7 7/8	3 1/4	10 1/2	15 11/16	21 5/8	24 3/8	4 1/2	13 3/16	400	270,000
608068PC	SAFD 544	7 15/16	32 3/4	8 3/4	3 3/4	9 1/2	3 3/4	11 3/4	18 5/8	24 3/4	27 7/8	5 1/4	14 7/16	672	365,000

FEATURES AND BENEFITS

- SAFD housings are available in 2 or 4 bolt mounting up to 3 7/16" shaft sizes
- Bearing housings are made from spheroidal graphite iron (ductile iron – FCD450) which is stronger and more durable than standard cast iron
- Bearing assemblies come complete with housing, bearing, fixing rings, adaptor sleeve, seals and end cap to allow for open and closed shaft position as well as fixed and floating bearing set ups
- Bearings come standard with Labyrinth seals; Taconite seals optional
- Bearings meet or exceed industry standards for load capacities



www.ppi-global.com | sales@ppi-global.com

Product shown are for illustrative purposes only and may display optional accessories or components. Please contact your sales representative for more information on product specifications. PPI respectively reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing at any time without notice obligation. PPI and its respective logos are trademarks of Precision, Inc. in the US and or other countries.